

## Fire Statistics for Residential Facilities— McNichols Campus (2017)

All Residential Housing is located at 4001 W. McNichols Rd., Detroit, MI 48221

<b>Residential Facility</b>	<b>Total Fires in Building</b>	<b>Fire Number</b>	<b>Cause of Fire</b>	<b>Number of Injuries that Required Treatment at a Medical Facility</b>	<b>Number of Deaths Related to a Fire</b>	<b>Value of Property Damaged Caused by Fire</b>
Holden Hall	0	0	0	0	0	0
Shiple Hall	0	0	0	0	0	0
North Quad	0	0	0	0	0	0
South Quad	0	0	0	0	0	0
East Quad	0	0	0	0	0	0
West Quad	0	0	0	0	0	0
<b>Residential Facility</b>	<b>Fire System Monitored by Public Safety</b>	<b>Building Equipped with Fire Alarms</b>	<b>Building Equipped with Smoke Detectors</b>	<b>Number of Evacuation Drills Conducted</b>		
Holden Hall	Yes	Yes	Yes	5		
Shiple Hall	Yes	Yes	Yes	5		
North Quad	Yes	Yes	Yes	5		
South Quad	Yes	Yes	Yes	5		
East Quad	Yes	Yes	Yes	5		
West Quad	Yes	Yes	Yes	5		
Quad Commons	Yes	Yes	Yes	5		

## Fire Statistics for Residential Facilities— McNichols Campus (2016)

All Residential Housing is located at 4001 W. McNichols Rd., Detroit, MI 48221

Residential Facility	Total Fires in Building	Fire Number	Cause of Fire	Number of Injuries that Required Treatment at a Medical Facility	Number of Deaths Related to a Fire	Value of Property Damaged Caused by Fire
Holden Hall	0	0	0	0	0	0
Shiple Hall	0	0	0	0	0	0
North Quad	0	0	0	0	0	0
South Quad	0	0	0	0	0	0
East Quad	0	0	0	0	0	0
West Quad	0	0	0	0	0	0
Residential Facility	Fire System Monitored by Public Safety	Building Equipped with Fire Alarms	Building Equipped with Smoke Detectors	Number of Evacuation Drills Conducted		
Holden Hall	Yes	Yes	Yes	5		
Shiple Hall	Yes	Yes	Yes	5		
North Quad	Yes	Yes	Yes	5		
South Quad	Yes	Yes	Yes	5		
East Quad	Yes	Yes	Yes	5		
West Quad	Yes	Yes	Yes	5		
Quad Commons	Yes	Yes	Yes	5		

## Fire Statistics for Residential Facilities— McNichols Campus (2015)

All Residential Housing is located at 4001 W. McNichols Rd., Detroit, MI 48221

Residential Facility	Total Fires in Building	Fire Number	Cause of Fire	Number of Injuries that Required Treatment at a Medical Facility	Number of Deaths Related to a Fire	Value of Property Damaged Caused by Fire
Holden Hall	0	0	0	0	0	0
Shiple Hall	0	0	0	0	0	0
North Quad	0	0	0	0	0	0
South Quad	0	0	0	0	0	0
East Quad	0	0	0	0	0	0
West Quad	0	0	0	0	0	0
Residential Facility	Fire System Monitored by Public Safety	Building Equipped with Fire Alarms	Building Equipped with Smoke Detectors	Number of Evacuation Drills Conducted		
Holden Hall	Yes	Yes	Yes	5		
Shiple Hall	Yes	Yes	Yes	5		
North Quad	Yes	Yes	Yes	5		
South Quad	Yes	Yes	Yes	5		
East Quad	Yes	Yes	Yes	5		
West Quad	Yes	Yes	Yes	5		
Quad Commons	Yes	Yes	Yes	5		

## Fire Statistics for Residential Facilities— McNichols Campus (2017)

All Residential Housing is located at 4001 W. McNichols Rd., Detroit, MI 48221

<b>Residential Facility</b>	<b>Total Fires in Building</b>	<b>Fire Number</b>	<b>Cause of Fire</b>	<b>Number of Injuries that Required Treatment at a Medical Facility</b>	<b>Number of Deaths Related to a Fire</b>	<b>Value of Property Damaged Caused by Fire</b>
Holden Hall	0	0	0	0	0	0
Shiple Hall	0	0	0	0	0	0
North Quad	0	0	0	0	0	0
South Quad	0	0	0	0	0	0
East Quad	0	0	0	0	0	0
West Quad	0	0	0	0	0	0
<b>Residential Facility</b>	<b>Fire System Monitored by Public Safety</b>	<b>Building Equipped with Fire Alarms</b>	<b>Building Equipped with Smoke Detectors</b>	<b>Number of Evacuation Drills Conducted</b>		
Holden Hall	Yes	Yes	Yes	5		
Shiple Hall	Yes	Yes	Yes	5		
North Quad	Yes	Yes	Yes	5		
South Quad	Yes	Yes	Yes	5		
East Quad	Yes	Yes	Yes	5		
West Quad	Yes	Yes	Yes	5		
Quad Commons	Yes	Yes	Yes	5		